KERALA STATE ROAD TRANSPORT CORPORATION

TRANSPORT BHAVAN, FORT, THIRUVANANTHAPURAM - 695 023
Telephone No: 0471-2471011, (Extn: 236 / 231 / 321)
E-mail: sr@kerala.gov.in Web: www.keralartc.com

No. S001-SS04/118/2026-STORE-KSRTC-HQ **Date: 07.11.2026**

RE-QUOTATION NOTICE

KSRTC is inviting Re-Quotation for the supply of Colour Ink Tank Printer

Quotation should be sent to the office of the Chairman & Managing Director Kerala State Road Transport Corporation before **13.00 Hrs** on **13.11.2026** and it will be opened at **15.00 Hrs**. on the same day. **There shall not be more than one financial offer in a financial bid for one item. Offering more than one brand / model will make the bid invalid.**

Sl. No.	Items Required	Quantity
1	**Colour Ink Tank Printer** **Technical Specifications** 1. Printing Technology • Color Ink Tank Technology • Water and smudge-resistant output • Suitable for continuous office/commercial use 2. Print Performance • Print speed: Minimum 25 ppm (mono) and 20 ppm (color) on A4 • First page out time: ≤ 12 seconds • Automatic duplex printing: Required • Duty cycle: Minimum 50,000 pages/month • Recommended volume: 5,000–10,000 pages/month • Print resolution: Minimum 600 × 600 dpi (enhanced up to 1200 class) 3. Paper Handling • Input tray: Minimum 250 sheets (A4) • Bypass/manual feed: Minimum 50 sheets • Output tray: Minimum 100 sheets • Supported sizes: A4 (primary), A5, A6, B5, envelopes • Paper weight support: 60–220 gsm 4. Connectivity • USB 2.0/3.0, Ethernet 10/100, Wi-Fi (802.11 b/g/n) with Wi-Fi Direct • Network print support (TCP/IP, IPP, LPD, SMB) 5. Driver & OS Support • Windows 10/11 (64-bit) and Linux (CUPS) 6. Consumables • Separate CMYK cartridges or tanks • Minimum yield: • Black – 6,000 pages @ 5% coverage • Each Color – 5,000 pages @ 5% coverage • Full-yield starter supplies mandatory 7. Reliability & Power • MTBF suitable for commercial/public counter use • Power: 220–240 V AC, 50 Hz • Energy Star / equivalent eco certification	**1 No.**

	8. Warranty • Minimum 5 years on-site warranty • Spare parts and consumables availability for at least 5 years	

1. The rates quoted should be for the supply of item at KSRTC, Chief Stores Pappanamcode , Thiruvananthapuram
2. No enhancement of rates once accepted will be considered.
3. Successful bidder shall complete supply the item within 15 days from the date of purchase order.
4. Quoted rate shall be firm for a period of 6 months from the date of quotation.
5. The Bidder shall ensure the availability of spare parts and consumables for a minimum period of 5 years, including the warranty period.
6. Quotation should be submitted in sealed covers duly prescribing on the cover with the following details.

Tender for the supply of : **Colour Ink Tank Printer**

Tender No. : **S001-SS04/118/2026-STORE-KSRTC-HQ**

Opening Date : **13.11.2026**

For Tender Inviting Authority

PROFORMA

Sl. No	Particulars of item required with specification	Quantity	Basic Price for 1 No. in Rs.	Discount if any in % & in Rs.	GST in % & in Rs.	End rate for Supply Per No. in Rs.
1.	**Colour Ink Tank Printer** **Technical Specifications** **1. Printing Technology** • Color Ink Tank Technology • Water and smudge-resistant output • Suitable for continuous office/commercial use **2. Print Performance** • Print speed: Minimum 25 ppm (mono) and 20 ppm (color) on A4 • First page out time: ≤ 12 seconds • Automatic duplex printing: Required • Duty cycle: Minimum 50,000 pages/month • Recommended volume: 5,000–10,000 pages/month • Print resolution: Minimum 600 × 600 dpi (enhanced up to 1200 class) **3. Paper Handling** • Input tray: Minimum 250 sheets (A4) • Bypass/manual feed: Minimum 50 sheets • Output tray: Minimum 100 sheets • Supported sizes: A4 (primary), A5, A6, B5, envelopes • Paper weight support: 60–220 gsm **4. Connectivity** • USB 2.0/3.0, Ethernet 10/100, Wi-Fi (802.11 b/g/n) with Wi-Fi Direct • Network print support (TCP/IP, IPP, LPD, SMB) **5. Driver & OS Support** • Windows 10/11 (64-bit) and Linux (CUPS) **6. Consumables** • Separate CMYK cartridges or tanks • Minimum yield: • Black – 6,000 pages @ 5% coverage • Each Color – 5,000 pages @ 5% coverage • Full-yield starter supplies mandatory **7. Reliability & Power** • MTBF suitable for commercial/public counter use • Power: 220–240 V AC, 50 Hz • Energy Star / equivalent eco certification **8. Warranty** • Minimum 5 years on-site warranty • Spare parts and consumables availability for at least 5 years	**1 No.**				

Make:	
Model:	
Warranty:	

Place:

Signature

Date:

(Office Seal)

Name & Full Address of the Bidder